Brain Research, 581 (1992) 356–357
Elsevier

Author Index

Advokat, C. and McInnis, C., Environmental modulation of behavioral tolerance in spinal rats, 46
Aldskogius, H., see Svensson, M., 319
Andresen, M.C., see Mendelowitz, D., 339
Appel, N.M., see Robbins, J.D., 148
Arjune, D., see Koch, J.E., 311
Azhderian, E.M., see Loechner, K.J., 315

Belin, M.F., see Debure, L.I., 19
Ben-Ari, Y., see Dessi, F., 323
Berg, G.I., see Hakan, R.L., 344
Bernstein, J.J., see Goldberg, W.J., 81
Björklund, A., see Cenci, M.A., 217
Bloch, V., see Maho, C., 115
Bodnar, R.J., see Koch, J.E., 311
Boldry, R.C., see Engber, T.M., 261
Bowen, W.D., see Walker, J.M., 33
Britton, K.T., see Heinrichs, S.C., 190

Cechetto, D.F., see Oppenheimer, S.M., 133
Cenci, M.A., Kalén, P., Mandel, R.J. and Björklund, A., Regional differences in the regulation of dopamine and noradrenaline release in medial frontal cortex, nucleus accumbens and caudate-putamen: a microdialysis study in the rat, 217
Chalmers, J.P., see Llewellyn-Smith, I.J., 67
Charriaut-Marlangue, C., see Dessi, F., 323
Chase, T.N., see Engber, T.M., 261
Churchill, L., Cross, R.S., Pazdernik, T.L., Nelson, S.R., Zahm, D.S., Heimer, L. and Kalivas, P.W., Patterns of glucose use after bicuculline-induced convulsions in relationship to γ-aminobutyric acid and μ-opioid receptors in the ventral pallidum–functional markers for the ventral pallidum, 39
Cohen, B., see Holstein, G.R., 175
Connolly, M., see Matsumura, K., 292
Crawley, J.N., see Leppin, C., 168
Cross, R.S., see Churchill, L., 39
Currie, S.N. and Stein, P.S.G., Glutamate antagonists applied to midbody spinal cord segments reduce the excitability of the fictive rostral scratch reflex in the turtle, 91

Davenport, A.P., see Morton, A.J., 299
De Beaurepaire, R., Antagonism of calcitonin-induced anorexia by chronic, but not acute, tricyclic antidepressants in the rat, 165
De Brabander, J.M., Van Eden, C.G., De Bruin, J.P.C. and Feenstra, M.G.P., Activation of mesocortical dopaminergic system in the rat in response to neonatal medial prefrontal cortex lesions. Concurrence with functional sparing, 1
De Bruin, J.P.C., see De Brabander, J.M., 1
De Souza, E.B., see Robbins, J.D., 148
Debure, L.I., Moyse, E., Fevre-Montange, M., Hardin, H., Belin, M.F., Rousset, C., Pujol, J.F. and Weissmann, D., Somatotopic organization of tyrosine hydroxylase expression in the rat locus coeruleus: long term-effect of RU24722, 19
DeCosta, B., see Walker, J.M., 33
Dessi, F., Charriaut-Marlangue, C. and Ben-Ari, Y., Anisomycin and cycloheximide protect cerebellar neurons in culture from anoxia, 323
Drachman, D.B., see Ramsay, D.A., 198
Drachman, R.J., see Ramsay, D.A., 198

Engber, T.M., Boldry, R.C., Kuo, S. and Chase, T.N., Dopaminergic modulation of striatal neuropeptides: differential effects of D_1 and D_2 receptor stimulation on somatostatin, neuropeptide Y, neurotensin, dynorphin and enkephalin, 261

Fan, L.-Q., see Ofri, D., 252
Feenstra, M.G.P., see De Brabander, J.M., 1
Fevre-Montange, M., see Debure, L.I., 19
Finiels-Marlier, F., see Leppin, C., 168
Fitzsimmons, M.D., Olschowka, J.A., Wiegand, S.J. and Hoffman, G.E., nteraction of opioid peptide-containing terminals with dopaminergic perikarya in the rat hypothalamus, 10
Florin, S.M., Kuczenski, R. and Segal, D.S., Amphetamine-induced changes in behavior and caudate extracellular acetylcholine, 53

Gibb, W.R.G., Melanin, tyrosine hydroxylase, calbindin and substance P in the human midbrain and substantia nigra in relation to nigrostriatal projections and differential neuronal susceptibility in Parkinson's disease, 283
Goldberg, W.J., Levine, K.V., Tadvalkar, G., Laws Jr., E.R. and Bernstein, J.J., Mechanisms of C6 glioma cell and fetal astrocyte migration into hydrated collagen I gels, 81
Goldstein, S.R., see Walker, J.M., 33

Hakan, R.L., Berg, G.I. and Henriksen, S.J., Electrophysiological evidence for reciprocal connectivity between the nucleus accumbens septi and ventral pallidal region, 344
Hardin, H., see Debure, L.I., 19
Heimer, L., see Churchill, L., 39
Heinrichs, S.C., Pich, E.M., Miczek, K.A., Britton, K.T. and Koob, G.F., Corticotropin-releasing factor antagonist reduces emotionality in socially defeated rats via direct neurotropic action, 190
Henriksen, S.J., see Hakan, R.L., 344
Hertz, L., see Peng, L., 334
Hiller, J.M., see Ofri, D., 252
Hockman, C.H., see Weerasuriya, A., 327
Hoffman, G.E., see Fitzsimmons, M.D., 10
Hohmann, A.G., see Walker, J.M., 33
Holmdahl, R., see Persson, S., 273
Holstein, G.R., Martinelli, G.P. and Cohen, B., L-Baclofen-sensitive $GABA_B$ binding sites in the medial vestibular nucleus localized by immunocytochemistry, 175

Imai-Matsumura, K., see Matsumura, K., 292
Ishida, N., see Kanai, H., 161
Iwashita, T. and Shimizu, T., Imipramine inhibits intrathecal substance *P*-induced behavior and blocks spinal cord substance *P* receptors in mice, 59

Jie, W. and Pei-Xi, C., ischarge response of cerebellar Purkinje cells to stimulation of C-fiber in cat saphenous nerve , 269
Jones, T.A. and Schallert, T., Overgrowth and pruning of dendrites in adult rats recovering from neocortical damage, 156

Kaczmarek, L.K., see Loechner, K.J., 315
Kalén, P., see Cenci, M.A., 217
Kalivas, P.W., see Churchill, L., 39
Kanai, H., Ishida, N., Nakajima, T. and Kato, N., An analogue of Joro spider toxin selectively suppresses hippocampal epileptic discharges induced by quisqualate, 161
Kaneko, S., see Katsuki, H., 108
Kasckow, J.W., Tillakaratne, N.J.K., Kim, H., Strecker, G.J., Tobin, A.J. and Olsen, R.W., Expression of $GABA_A$ receptor polypeptides in clonal rat cell lines, 143
Kato, N., see Kanai, H., 161
Katsuki, H., Kaneko, S. and Satoh, M., Involvement of postsynaptic G proteins in hippocampal long-term potentiation, 108
Kawai, Y., see Miyata, H., 101
Kenigfest, N., see Kratskin, I., 171
Kerchner, M. and Ward, I.L., SDN-MPOA volume in male rats is decreased by prenatal stress, but is not related to ejaculatory behavior, 244
Kim, H., see Kasckow, J.W., 143
Koch, J.E., Pasternak, G.W., Arjune, D. and Bodnar, R.J., Naloxone benzoylhydrazone, a k_3 opioid agonist, stimulates food intake in rats, 311
Koob, G.F., see Heinrichs, S.C., 190
Koyama, Y., see Matsumura, K., 292
Kratskin, I., Kenigfest, N., Reperant, J., Rio, J.P. and Vesselkin, N., resumptive GABAergic feedback input to the frog

Brain Research, 581 (1992) 356–357
Elsevier

Author Index

Advokat, C. and McInnis, C., Environmental modulation of behavioral tolerance in spinal rats, 46
Aldskogius, H., see Svensson, M., 319
Andresen, M.C., see Mendelowitz, D., 339
Appel, N.M., see Robbins, J.D., 148
Arjune, D., see Koch, J.E., 311
Azhderian, E.M., see Loechner, K.J., 315

Belin, M.F., see Debure, L.I., 19
Ben-Ari, Y., see Dessi, F., 323
Berg, G.I., see Hakan, R.L., 344
Bernstein, J.J., see Goldberg, W.J., 81
Björklund, A., see Cenci, M.A., 217
Bloch, V., see Maho, C., 115
Bodnar, R.J., see Koch, J.E., 311
Boldry, R.C., see Engber, T.M., 261
Bowen, W.D., see Walker, J.M., 33
Britton, K.T., see Heinrichs, S.C., 190

Cechetto, D.F., see Oppenheimer, S.M., 133
Cenci, M.A., Kalén, P., Mandel, R.J. and Björklund, A., Regional differences in the regulation of dopamine and noradrenaline release in medial frontal cortex, nucleus accumbens and caudate-putamen: a microdialysis study in the rat, 217
Chalmers, J.P., see Llewellyn-Smith, I.J., 67
Charriaut-Marlangue, C., see Dessi, F., 323
Chase, T.N., see Engber, T.M., 261
Churchill, L., Cross, R.S., Pazdernik, T.L., Nelson, S.R., Zahm, D.S., Heimer, L. and Kalivas, P.W., Patterns of glucose use after bicuculline-induced convulsions in relationship to γ-aminobutyric acid and μ-opioid receptors in the ventral pallidum–functional markers for the ventral pallidum, 39
Cohen, B., see Holstein, G.R., 175
Connolly, M., see Matsumura, K., 292
Crawley, J.N., see Leppin, C., 168
Cross, R.S., see Churchill, L., 39
Currie, S.N. and Stein, P.S.G., Glutamate antagonists applied to midbody spinal cord segments reduce the excitability of the fictive rostral scratch reflex in the turtle, 91

Davenport, A.P., see Morton, A.J., 299
De Beaurepaire, R., Antagonism of calcitonin-induced anorexia by chronic, but not acute, tricyclic antidepressants in the rat, 165
De Brabander, J.M., Van Eden, C.G., De Bruin, J.P.C. and Feenstra, M.G.P., Activation of mesocortical dopaminergic system in the rat in response to neonatal medial prefrontal cortex lesions. Concurrence with functional sparing, 1
De Bruin, J.P.C., see De Brabander, J.M., 1
De Souza, E.B., see Robbins, J.D., 148
Debure, L.I., Moyse, E., Fevre-Montange, M., Hardin, H., Belin, M.F., Rousset, C., Pujol, J.F. and Weissmann, D., Somatotopic organization of tyrosine hydroxylase expression in the rat locus coeruleus: long term-effect of RU24722, 19
DeCosta, B., see Walker, J.M., 33
Dessi, F., Charriaut-Marlangue, C. and Ben-Ari, Y., Anisomycin and cycloheximide protect cerebellar neurons in culture from anoxia, 323
Drachman, D.B., see Ramsay, D.A., 198
Drachman, R.J., see Ramsay, D.A., 198

Engber, T.M., Boldry, R.C., Kuo, S. and Chase, T.N., Dopaminergic modulation of striatal neuropeptides: differential effects of D_1 and D_2 receptor stimulation on somatostatin, neuropeptide Y, neurotensin, dynorphin and enkephalin, 261

Fan, L.-Q., see Ofri, D., 252
Feenstra, M.G.P., see De Brabander, J.M., 1
Fevre-Montange, M., see Debure, L.I., 19
Finiels-Marlier, F., see Leppin, C., 168
Fitzsimmons, M.D., Olschowka, J.A., Wiegand, S.J. and Hoffman, G.E., nteraction of opioid peptide-containing terminals with dopaminergic perikarya in the rat hypothalamus, 10
Florin, S.M., Kuczenski, R. and Segal, D.S., Amphetamine-induced changes in behavior and caudate extracellular acetylcholine, 53

Gibb, W.R.G., Melanin, tyrosine hydroxylase, calbindin and substance P in the human midbrain and substantia nigra in relation to nigrostriatal projections and differential neuronal susceptibility in Parkinson's disease, 283
Goldberg, W.J., Levine, K.V., Tadvalkar, G., Laws Jr., E.R. and Bernstein, J.J., Mechanisms of C6 glioma cell and fetal astrocyte migration into hydrated collagen I gels, 81
Goldstein, S.R., see Walker, J.M., 33

Hakan, R.L., Berg, G.I. and Henriksen, S.J., Electrophysiological evidence for reciprocal connectivity between the nucleus accumbens septi and ventral pallidal region, 344
Hardin, H., see Debure, L.I., 19
Heimer, L., see Churchill, L., 39
Heinrichs, S.C., Pich, E.M., Miczek, K.A., Britton, K.T. and Koob, G.F., Corticotropin-releasing factor antagonist reduces emotionality in socially defeated rats via direct neurotropic action, 190
Henriksen, S.J., see Hakan, R.L., 344
Hertz, L., see Peng, L., 334
Hiller, J.M., see Ofri, D., 252
Hockman, C.H., see Weerasuriya, A., 327
Hoffman, G.E., see Fitzsimmons, M.D., 10
Hohmann, A.G., see Walker, J.M., 33
Holmdahl, R., see Persson, S., 273
Holstein, G.R., Martinelli, G.P. and Cohen, B., L-Baclofen-sensitive $GABA_B$ binding sites in the medial vestibular nucleus localized by immunocytochemistry, 175

Imai-Matsumura, K., see Matsumura, K., 292
Ishida, N., see Kanai, H., 161
Iwashita, T. and Shimizu, T., Imipramine inhibits intrathecal substance *P*-induced behavior and blocks spinal cord substance *P* receptors in mice, 59

Jie, W. and Pei-Xi, C., ischarge response of cerebellar Purkinje cells to stimulation of C-fiber in cat saphenous nerve , 269
Jones, T.A. and Schallert, T., Overgrowth and pruning of dendrites in adult rats recovering from neocortical damage, 156

Kaczmarek, L.K., see Loechner, K.J., 315
Kalén, P., see Cenci, M.A., 217
Kalivas, P.W., see Churchill, L., 39
Kanai, H., Ishida, N., Nakajima, T. and Kato, N., An analogue of Joro spider toxin selectively suppresses hippocampal epileptic discharges induced by quisqualate, 161
Kaneko, S., see Katsuki, H., 108
Kasckow, J.W., Tillakaratne, N.J.K., Kim, H., Strecker, G.J., Tobin, A.J. and Olsen, R.W., Expression of $GABA_A$ receptor polypeptides in clonal rat cell lines, 143
Kato, N., see Kanai, H., 161
Katsuki, H., Kaneko, S. and Satoh, M., Involvement of postsynaptic G proteins in hippocampal long-term potentiation, 108
Kawai, Y., see Miyata, H., 101
Kenigfest, N., see Kratskin, I., 171
Kerchner, M. and Ward, I.L., SDN-MPOA volume in male rats is decreased by prenatal stress, but is not related to ejaculatory behavior, 244
Kim, H., see Kasckow, J.W., 143
Koch, J.E., Pasternak, G.W., Arjune, D. and Bodnar, R.J., Naloxone benzoylhydrazone, a k_3 opioid agonist, stimulates food intake in rats, 311
Koob, G.F., see Heinrichs, S.C., 190
Koyama, Y., see Matsumura, K., 292
Kratskin, I., Kenigfest, N., Reperant, J., Rio, J.P. and Vesselkin, N., resumptive GABAergic feedback input to the frog

olfactory bulb: a double labelling study with retrograde axonal tracing and GABA immunohistochemistry , 171
Kuczenski, R., see Florin, S.M., 53
Kunze, D.L., see Mendelowitz, D., 339
Kuo, S., see Engber, T.M., 261

Laurenza, A., see Robbins, J.D., 148
Laws Jr., E.R., see Goldberg, W.J., 81
Leppin, C., Finiels-Marlier, F., Crawley, J.N., Montpied, P. and Paul, S.M., Failure of a protein synthesis inhibitor to modify glutamate receptor-mediated neurotoxicity in vivo, 168
Levine, K.V., see Goldberg, W.J., 81
Llewellyn-Smith, I.J., Phend, K.D., Minson, J.B., Pilowsky, P.M. and Chalmers, J.P., Glutamate-immunoreactive synapses on retrogradely-labelled sympathetic preganglionic neurons in rat thoracic spinal cord, 67
Loechner, K.J., Mattessich-Arrandale, J., Azhderian, E.M. and Kaczmarek, L.K., Inhibition of peptide release from invertebrate neurons by the protein kinase inhibitor H-7, 315
Lu, C.-L., Shaikh, M.B. and Siegel, A., Role of NMDA receptors in hypothalamic facilitation of feline defensive rage elecited from the midbrain periaqueductal gray, 123

Maho, C. and Bloch, V., Responses of hippocampal cells can be conditioned during paradoxical sleep, 115
Mandel, R.J., see Cenci, M.A., 217
Martinelli, G.P., see Holstein, G.R., 175
Matsumura, K., Watanabe, Y., Imai-Matsumura, K., Connolly, M., Koyama, Y., Onoe, H. and Watanabe, Y., Mapping of prostaglandin E_2 binding sites in rat brain using quantitative autoradiography, 292
Mattessich-Arrandale, J., see Loechner, K.J., 315
McAdoo, D.J., see Sorkin, L.S., 307
McInnis, C., see Advokat, C., 46
Mendelowitz, D., Yang, M., Andresen, M.C. and Kunze, D.L., Localization and retention in-vitro of fluorescently labeled aortic baroreceptor terminals on neurons from the nucleus tractus solitarius, 339
Miczek, K.A., see Heinrichs, S.C., 190
Minson, J.B., see Llewellyn-Smith, I.J., 67
Miyata, H. and Kawai, Y., Relationship between soma diameter and oxidative enzyme activity of α-motoneurons, 101
Montpied, P., see Leppin, C., 168
Morton, A.J. and Davenport, A.P., Cerebellar neurons and glia respond differentially to endothelins and sarafotoxin S6b, 299
Moyse, E., see Debure, L.I., 19

Nakajima, T., see Kanai, H., 161
Nash, J.F. and Yamamoto, B.K., Methamphetamine neurotoxicity and striatal glutamate release: comparison to 3,4-methylenedioxymethamphetamine, 237
Nelson, S.R., see Churchill, L., 39
Nyberg, F., see Persson, S., 273

Ofri, D., Fan, L.-Q., Simon, E.J. and Hiller, J.M., Lesioning of the nucleus basalis of Meynert has differential effects on mu, delta and kappa opioid receptor binding in rat brain: a quantitative autoradiographic study, 252
Olschowka, J.A., see Fitzsimmons, M.D., 10
Olsen, R.W., see Kasckow, J.W., 143
Onoe, H., see Matsumura, K., 292
Oostveen, J.A., see Williams, L.R., 181
Oppenheimer, S.M., Saleh, T. and Cechetto, D.F., Lateral hypothalamic area neurotransmission and neuromodulation of the specific cardiac effects of insular cortex stimulation, 133

Pasternak, G.W., see Koch, J.E., 311
Patrick, S.L., see Walker, J.M., 33
Paul, S.M., see Leppin, C., 168
Pazdernik, T.L., see Churchill, L., 39
Pei-Xi, C., see Jie, W., 269
Peng, L. and Hertz, L., Long-lasting abolishment of noradrenaline induced stimulation of oxidative metabolism after chronic exposure of developing mouse astrocytes to cocaine., 334
Persson, S., Post, C., Holmdahl, R. and Nyberg, F., Decreased neuropeptide-converting enzyme activities in cerebrospinal fluid during acute but not chronic phases of collagen induced arthritis in rats, 273
Phend, K.D., see Llewellyn-Smith, I.J., 67
Pich, E.M., see Heinrichs, S.C., 190
Pilowsky, P.M., see Llewellyn-Smith, I.J., 67
Post, C., see Persson, S., 273
Pregenzer, J.F., see Williams, L.R., 181
Preston, J.E. and Segal, M.B., The uptake of anionic and cationic amino acids by the isolated perfused sheep choroid plexus, 351
Pujol, J.F., see Debure, L.I., 19

Ramsay, D.A., Drachman, D.B., Drachman, R.J. and Stanley, E.F., tabilization of acetylcholine receptors at the neuromuscular synapse: the role of the nerve , 198
Reperant, J., see Kratskin, I., 171
Rio, J.P., see Kratskin, I., 171
Robbins, J.D., Appel, N.M., Laurenza, A., Simpson, I.A., De Souza, E.B. and Seamon, K.B., Differential identification and localization of adenylyl cyclase and glucose transporter in brain using iodinated derivatives of forskolin, 148
Roberts, A.H., see Walker, J.M., 33
Rousset, C., see Debure, L.I., 19

Saleh, T., see Oppenheimer, S.M., 133
Satoh, M., see Katsuki, H., 108
Schallert, T., see Jones, T.A., 156
Seamon, K.B., see Robbins, J.D., 148
Segal, D.S., see Florin, S.M., 53
Segal, M.B., see Preston, J.E., 351
Shaikh, M.B., see Lu, C.-L., 123
Shimizu, T., see Iwashita, T., 59
Siegel, A., see Lu, C.-L., 123
Simon, E.J., see Ofri, D., 252
Simpson, I.A., see Robbins, J.D., 148
Sorkin, L.S., McAdoo, D.J. and Willis, W.D., Stimulation in the ventral posterior lateral nucleus of the primate thalamus leads to release of serotonin in the lumbar spinal cord, 307
Stanley, E.F., see Ramsay, D.A., 198
Stein, P.S.G., see Currie, S.N., 91
Svensson, M. and Aldskogius, H., The effect of axon injury on microtubule-associated protein MAP2 mRNA in the hypoglossal nucleus of the adult rat, 319
Strecker, G.J., see Kasckow, J.W., 143

Tadvalkar, G., see Goldberg, W.J., 81
Tillakaratne, N.J.K., see Kasckow, J.W., 143
Tobin, A.J., see Kasckow, J.W., 143
Todd, M.M., see Verhaegen, M., 153
Turner, B.B., Sex differences in the binding of Type I and Type II corticosteroid receptors in rat hippocampus, 229

Van Eden, C.G., see De Brabander, J.M., 1
Verhaegen, M., Todd, M.M. and Warner, D.S., he influence of different concentrations of volatile anesthetics on the threshold for cortical spreading depression in rats , 153
Vesselkin, N., see Kratskin, I., 171

Walker, J.M., Bowen, W.D., Goldstein, S.R., Roberts, A.H., Patrick, S.L., Hohmann, A.G. and DeCosta, B., Autoradiographic distribution of [^{3}H](+)-pentazocine and [^{3}H]1-3-di-*o*-tolylguanidine (DTG) binding sites in guinea pig brain: a comparative study, 33
Ward, I.L., see Kerchner, M., 244
Warner, D.S., see Verhaegen, M., 153
Watanabe, Y., see Matsumura, K., 292
Watanabe, Y., see Matsumura, K., 292
Watts, A.G., Osmotic stimulation differentially affects cellular levels of corticotropin-releasing hormone and neurotensin/neuromedin N mRNAS in the lateral hypothalamic area and central nucleus of the amygdala, 208
Weerasuriya, A. and Hockman, C.H., Perineurial permeability to sodium during Wallerian degeneration in rat sciatic nerve, 327
Weissmann, D., see Debure, L.I., 19
Wiegand, S.J., see Fitzsimmons, M.D., 10
Williams, L.R., Pregenzer, J.F. and Oostveen, J.A., Induction of cobalt accumulation by excitatory amino acids within neurons of the hippocampal slice, 181
Willis, W.D., see Sorkin, L.S., 307

Yamamoto, B.K., see Nash, J.F., 237
Yang, M., see Mendelowitz, D., 339

Zahm, D.S., see Churchill, L., 39